

**AGENDA OF THE REGULAR MEETING OF  
THE HAILEY TREE COMMITTEE**

Thursday, September 8th, 2022 at 6:00 pm

In person, Hailey City Hall, or

Please join my meeting from your computer, tablet or smartphone.

<https://meet.goto.com/350525293>

You can also dial in using your phone.

United States: +1 (872) 240-3212

Access Code: 350-525-293

Get the app now and be ready when your first meeting starts: <https://meet.goto.com/install>

**Note:** item on the agenda may have action taken during the meeting = **ACTION ITEM**

**Call to Order**

**Public Comment**

**Approval of Meeting Minutes:** August 11<sup>th</sup>, 2022 **ACTION ITEM**

**New Business**

- September 13 volunteer morning at the Hailey Arboretum
- October "Our Town" Newsletter Ideas
- Additional Heritage Tree Nominations
- Tree Types for ArborFest 2023
- Next Parks and Lands Board Meeting, scheduled for September 28<sup>th</sup>, will be held at the Hailey Native Tree and Shrub Arboretum

**Old Business**

- Update on Soft scale - Autumn Blaze Maple at Roberta McKercher Park
- Update on Box Elder Trees at 525 N 1<sup>st</sup> Ave

**Board/Staff Reports**

**Discussion of Topics for Next Agenda** – Next regular meeting is October 13, 6 pm

**Adjourn**

**Any person requiring special accommodations to participate  
in the above-noticed meeting may contact Hailey Public  
Works at (208)788-9830 prior to the meeting.**

**From:** [ArborCare Resources Inc.](#)  
**To:** [Brian Yeager](#); [Emily Williams](#)  
**Subject:** 2022 Tree Care Proposal from ArborCare Resources, Inc.  
**Date:** Monday, August 29, 2022 2:41:19 PM  
**Attachments:** [proposal\\_9698.pdf](#)

---

**Property Location: 525 N 1st Ave**  
**Proposal # 9698**

Hello Emily,

Per your request I looked at the two Boxelders on the North ROW at 525 N 1st.

The West of the two Boxelders has decay in the lower stem of the tree and included bark between the two main stems. It is my professional opinion the tree is slowly but actively failing. Removal is recommended.

The East of the two trees also has decay in the lower stem of the tree, entering the lower stem from older stems that were removed. The center lead rubs on a Communication line running through the center of the crown. Past limb breakage was noted. Given the unknown amount of decay, history of branch failure, the boxelder bugs associated with the species, and thinking about the looks of the tree with the center lead removed it is my professional opinion that removal of the tree is recommended. If the City wishes to retain the tree, expect it to have a power line "V" cut look and with the unknown amount of decay and history of failure, safety can not be guaranteed.

An online proposal for recommended tree care services can be viewed online using the link below.

[View Proposal](#)

To accept the work, use the online link above, return a signed hard copy or call our office to provide a verbal authorization.

If you would like to add or modify any of the recommended services, please contact me to discuss the necessary changes.

Best Regards,

***Bill Josey***

*ISA Board Certified Master Arborist RM-0715BT*  
*ASCA Registered Consulting Arborist #566*  
*ISA Tree Worker/Climber Specialist*  
*ISA Tree Risk Assessment Qualified*  
*ISDA Licensed Prof Applicator #29166*

208-788-1611 ext. 101  
[bill@sunvalleytree.com](mailto:bill@sunvalleytree.com)

LOGO



PO Box 397 | Hailey, ID 83333

[www.SunValleyTree.com](http://www.SunValleyTree.com)

*Tree Care Professionals Preserving & Protecting Your Growing Investment*



---

This email was sent to [emily.williams@haileycityhall.org](mailto:emily.williams@haileycityhall.org): [Unsubscribe from this list](#)